MMPI-2-RF®
Adult Interpretive System Version 4
Content-Based Report

Developed by
Roger L. Greene, PhD
and PAR Staff

Client Information

Name:	sample Case
Client ID:	SC2011
Gender:	Male
Age:	43
Education:	High School Grad.
Ethnicity:	Caucasian/White
Test Date:	12/08/2010

The interpretive information contained in this report should be viewed as only one source of hypothesis about the individual being evaluated. No decisions should be based solely on the information contained in this report. This material should be integrated with all other sources of information in reaching professional decisions about this individual. This report is confidential and intended for use by qualified professionals only. It should not be released to the individual being evaluated

.Potential Impact of Demographic Variables

The client's age, education, and ethnicity are unlikely to have a significant impact on the interpretation of the MMPI-2-RF scores.

Dangerousness to Self/Others Items
Age Group: 40-49

His responses (either "True" or "Omitted") to the dangerousness to self items (93, 120, 164, 251) should be documented in writing in his clinical record.

Dangerousness to Self - Responses		
Test Item Number	**Client Response**	**Typical Percent Endorsed TRUE**
93	Not Entered	15.64
120	Not Entered	8.64
164	Not Entered	10.32
251	Not Entered	5.53

Dangerousness to Self - Item Count		
Number of Items Endorsed TRUE	**Number Endorsed by This Client**	**Typical Percent Endorsing This Number**
0		79.80
1		8.56
2		5.37
3		4.24
4		2.03

His responses (either "True" or "Omitted") to the dangerousness to others items (312, 329) should be documented in writing in his clinical record.

Dangerousness to Others - Responses		
Test Item Number	**Client Response**	**Typical Percent Endorsed TRUE**
312	Not Entered	9.21
329	Not Entered	12.95

Dangerousness to Others - Item Count		
Number of Items Endorsed TRUE	**Number Endorsed by This Client**	**Typical Percent Endorsing This Number**
0		81.89
1		14.06
2		4.05

Test-Taking Behaviors

Omissions

He omitted no items.

Consistency of Item Endorsement

VRIN-r = 63

He has made more inconsistent responses than is expected. He may have begun responding to the items inconsistently at some later point in the test. The clinician should query him about any possible change in responding to the items.

Accuracy of Item Endorsement

F-r = 42

T-scores at or below 44 indicate that he did not report the socially unacceptable or disturbing content represented in these items. He may be trying to provide a self-favorable report of psychopathology, or he may be a normal person who is very conventional, unassuming, and unpretentious.

F_P-*r* = 45

He has endorsed the items accurately. Scale interpretation may proceed with confidence.

L-r = 62

He may be slightly more conforming than usual and may have a tendency to resort to denial mechanisms.

K-r = 53

He has a proper balance between self-disclosure and self-protection. He has sufficient personal resources to desire and tolerate a psychological intervention. In higher socioeconomic class clients, a moderate level of personal distress is expected. The prognosis for a psychological intervention is good.

MMPI-2-RF Content-Based

Moods

Negative Emotionality and General Subjective Distress (*RCd*): He reports that he is discouraged and generally demoralized with himself and his life. He is insecure and pessimistic and feels overwhelmed. He expects to fail or believes he has failed in various areas of his life (*RCd* > 64).

Anxiety (*AXY/STW*): He reports being anxious and easily frightened, and having nightmares every few nights (*AXY* > 64). *STW* ≤ 64.

Depression (*RC2*): *RC2* ≤ 64.

Anger and Irritability (*ANP*): *ANP* ≤ 64.

Fears (*BRF/MSF*): *BRF* ≤ 64. *MSF* ≤ 64.

Hypomania (*ACT*): *ACT* ≤ 64.

Cognitions

Problems with Attention, Concentration and Memory (*COG*): He reports problems with his attention, memory, and concentration. He has unusual thoughts, and problems focusing his mind on any one thing (*COG* > 64).

Cynical Beliefs (*RC3*): *RC3* ≤ 64.

Negative Cognitions (*HLP/SFD/NFC*): He reports general negative cognitions reflecting his hopelessness, his pessimism, and the futility he perceives of trying to make changes in his life (*HLP* > 64). *SFD* ≤ 64. *NFC* ≤ 64.

Psychotic Symptoms and Behaviors (*RC8*): *RC8* ≤ 64.

Interpersonal Relations

Social Relations (*SAV/IPP/SHY/DSF*): *SAV* ≤ 64. *IPP* ≤ 64. Although he may have good social skills, he is shy, bashful, and reserved around others. He is unlikely to initiate conversations (*SHY* > 64). He dislikes having people around him and prefers to be alone. He may never have had a close relationship. It is important to determine whether he has any type of social support system (*DSF* > 64).

Family Problems (*FML*): *FML* ≤ 64.

Aggression (*AGG*): *AGG* ≤ 64.

**Delinquency/Antisocial Behavior (*JCP*):** *JCP* ≤ 64.

Other Problem Areas

Somatic Symptoms (*RC1/GIC/HPC/NUC*): *RC1* ≤ 64. *GIC* ≤ 64. *HPC* ≤ 64. *NUC* ≤ 64.

Alcohol/Drug Abuse (*SUB*): *SUB* ≤ 64.

Suicidal Ideation (*SUI*): *SUI* ≤ 64.

**Sleep Problems** Sleep Items not answered (5, 79, 149, 289).

Validity Scales

Scale	VRIN-r	F-r	Fp-r	Fs	FBS-r	L-r	K-r
T score	63	42	45	62	53	62	53

● Client Profile

Higher-Order (H-O) and Restructured Clinical (RC) Scales

Scale	EID	THD	BXD	RCd	RC1	RC2	RC3	RC4	RC6	RC7	RC8	RC9
T score	46	53	62	65	46	40	52	59	56	62	35	63

● Client Profile

Somatic/Cognitive and Internalizing Scales

Scale	MLS	GIC	HPC	NUC	COG	SUI	HLP	SFD	NFC	STW	AXY	ANP	BRF	MSF
T score	35	26	56	56	72	46	82	56	54	53	65	62	40	63

●— Client Profile

Externalizing, Interpersonal, and Interest Scales

Scale	JCP	SUB	AGG	ACT	FML	IPP	SAV	SHY	DSF	AES	MEC
T score	38	59	60	35	64	58	63	68	75	57	61

● Client Profile

PSY-5 Revised Scales

Scale	AGGR-r	PSYC-r	DISC-r	NEGE-r	INTR-r
T score	62	38	59	58	56

●——— Client Profile

Scale-by-Scale Interpretation

Validity Scales

Cannot Say (*?*)
? = 0 (Raw Score)
> No items were omitted.

Variable Response Inconsistency (*VRIN-r*)
VRIN-r = 63
> He has made more inconsistent responses than is expected. He may have begun responding to the items inconsistently at some later point in the test. The clinician should query him about any possible change in responding to the items.

InFrequent Responses (*F-r*)
F-r = 42
> *T*-scores at or below 44 indicate that he did not report the socially unacceptable or disturbing content represented in these items. He may be trying to provide a self-favorable report of psychopathology, or he may be a normal person who is very conventional, unassuming, and unpretentious.

InFrequent-Psychopathology Responses (*F$_P$-r*)
F$_P$-r = 45
> He has endorsed the items accurately. Scale interpretation may proceed with confidence.

InFrequent Somatic Responses (*Fs*)
Fs = 62
> He is reporting more unusual or atypical somatic symptoms than most medical patients with known medical problems.

Symptom Validity (*FBS-r*)
FBS-r = 53
> No significant elevation was reported.

Uncommon Virtues (*L-r*)
L-r = 62
> He may be slightly more conforming than usual and may have a tendency to resort to denial mechanisms.

Adjustment Validity (*K-r*)
K-r = 53
> He has a proper balance between self-disclosure and self-protection. He has sufficient personal resources to desire and tolerate a psychological intervention. In higher socioeconomic class clients, a moderate level of personal distress is expected. The prognosis for a psychological intervention is good.

Higher-Order (H-O) Scales

Emotional/Internalizing Dysfunction (*EID*)

EID = 46

    Moods: He has a normal level of general subjective distress and negative affect.

Thought Dysfunction (*THD*)

THD = 53

    Cognitions: He is reporting typical thought processes.

Behavioral/Externalizing Dysfunction (*BXD*)

BXD = 62

    Interpersonal Relations: He reports a balance between expressing and inhibiting his needs and wants behaviorally.

Restructured Clinical (RC) Scales

Demoralization (*RCd*)

RCd = 65

 Moods: He reports that he is discouraged and generally demoralized with himself and his life. *Cognitions:* He is insecure and pessimistic and feels overwhelmed. He expects to fail or believes he has failed in various areas of his life.

Somatic Complaints (*RC1*)

RC1 = 46

Low Positive Emotions (*RC2*)

RC2 = 40

Cynicism (*RC3*)

RC3 = 52

Antisocial Behavior (*RC4*)

RC4 = 59

Ideas of Persecution (*RC6*)

RC6 = 56

Dysfunctional Negative Emotions (*RC7*)

RC7 = 62

Aberrant Experiences (*RC8*)

RC8 = 35

Hypomanic Activation (*RC9*)

RC9 = 63

Somatic/Cognitive Complaint Scales

Malaise (*MLS*)
MLS = 35

Gastrointestinal Complaints (*GIC*)
GIC = 26

Head Pain Complaints (*HPC*)
HPC = 56

Neurological Complaints (*NUC*)
NUC = 56

Cognitive Complaints (*COG*)
COG = 72

 Cognitions: He reports problems with his attention, memory, and concentration. He has unusual thoughts, and problems focusing his mind on any one thing.

Internalizing Scales

Suicidal/Death Ideation (*SUI*)
SUI = 46

Helplessness/Hopelessness (*HLP*)
HLP = 82
      Cognitions: He reports general negative cognitions reflecting his hopelessness, his pessimism, and the futility he perceives of trying to make changes in his life.

Self-Doubt (*SFD*)
SFD = 56

Inefficacy (*NFC*)
NFC = 54

Stress/Worry (*STW*)
STW = 53

Anxiety (*AXY*)
AXY = 65
      Moods: He reports being anxious and easily frightened, and having nightmares every few nights.

Anger Proneness (*ANP*)
ANP = 62

Behavior-Restricting Fears (*BRF*)
BRF = 40

Multiple Specific Fears (*MSF*)
MSF = 63

Externalizing Scales

Juvenile Conduct Problems (*JCP*)
JCP = 38

Substance Abuse (*SUB*)
SUB = 59

Aggression (*AGG*)
AGG = 60

Activation (*ACT*)
ACT = 35

Interpersonal Scales

Family Problems (*FML*)
FML = 64

Interpersonal Passivity (*IPP*)
IPP = 58

Social Avoidance (*SAV*)
SAV = 63

Shyness (*SHY*)
SHY = 68
   Interpersonal Relations: Although he may have good social skills, he is shy, bashful, and reserved around others. He is unlikely to initiate conversations.

Disaffiliativeness (*DSF*)
DSF = 75
   Interpersonal Relations: He dislikes having people around him and prefers to be alone. He may never have had a close relationship. It is important to determine whether he has any type of social support system.

Interest Scales

Aesthetic Literary Interests (*AES*)
AES = 57

Mechanical Physical Interests (*MEC*)
MEC = 61

Personality Psychopathology Five (PSY-5)- Revised Scales

Aggressiveness-Revised (*AGGR-r*)
AGGR-r = 62

Psychoticism-Revised (*PSYC-r*)
PSYC-r = 38

Disconstraint-Revised (*DISC-r*)
DISC-r = 59

Negative Emotionality/Neuroticism-Revised (*NEGE-r*)
NEGE-r = 58

Introversion/Low Positive Emotionality-Revised (*INTR-r*)
INTR-r = 56

End of Report