

ADSTM

Anger Disorders Scale: Short (ADS:S)

Raymond DiGiuseppe, Ph.D. & Raymond Chip Tafrate, Ph.D.

Profile Report

Client's Name: Jane Sample
Age: 26
Gender: Female
Norm Group Option: Age Group
Test Duration: 0 minutes 41 seconds
Administration Date: October 18, 2004

This Profile Report is intended for the sole use of the test administrator and is not to be shown or presented to the respondent or to any other party.



Copyright © 2004 Multi-Health Systems Inc. All rights reserved.
In the U.S.A., P.O. Box 950, North Tonawanda, NY 14120-0950
In Canada, 3770 Victoria Park Ave., Toronto, ON M2H 3M6

Introduction


The Anger Disorders Scale: Short (ADS:S) is an 18-item, self-rated screening inventory that helps identify individuals ages 18 and older who may need a more comprehensive assessment for anger problems. ADS:S T-scores and percentiles are based on a normative sample of 1,197 individuals and may be calculated using one of the following sets of norms: overall, gender, age group (18–29, 30–49, or 50 and older), or age and gender group. This report provides information about the respondent's scores and how they compare with the scores of the normative sample of non-clinical individuals. See the ADS Technical Manual (published by MHS) for more information about this instrument and its results.

Cautionary Remarks

This computerized report is meant to act as an interpretive aid and should not be used as the sole basis for intervention or clinical diagnosis. This report works best when combined with other sources of relevant information (e.g., tests, observations, historical information). The report is based on an algorithm that produces the most common interpretations for the scores that have been obtained. Atypical interpretations must be explored in other ways on a case-by-case basis. The information contained in this report should be treated as confidential.


ADS T-Scores

The following graph displays Jane's T-scores for each of the ADS scales.



ADS Percentiles

The following graph displays Jane’s percentiles for each of the ADS scales.



Summary of Scale Scores

The following table presents raw scores, T-scores, percentiles, and interpretive guidelines for all obtained scores. Please refer to the ADS Technical Manual for more information on the interpretation of these results.

Scale	Raw Score	T-Score	Percentile	Guideline
Total Score	37	55	75	Mild anger pathology
Reactivity/Expression Factor	15	57	79	Mild anger pathology
Anger-In Factor	14	53	61	No indication of anger pathology
Vengeance Factor	8	53	76	Mild anger pathology

Profile Summary

An overall examination of the profile reveals that the ADS:S Total Score and one or more of the factors are in the range indicating anger pathology.

Elevated Scales

There are no significantly elevated scale scores.

Integrating Results

ADS:S results must be incorporated with other information before drawing any conclusions. Administration of the full version of the ADS is recommended when ADS:S scores indicate problems with anger. Results from the full ADS will provide more detail about specific problems areas. A comprehensive evaluation should include direct clinical observation of the individual, information from other relevant assessments, and information about the individual's background and family history. It is also important to consider any factors that may bias the reporting of symptoms, such as defensiveness or socially desirable responding.

Item Response Table

This table lists Jane's individual responses to each item. Omitted items are identified with a question mark.

Item #	Response	Item #	Response	Item #	Response	Item #	Response	Item #	Response
1.	1	5.	2	9.	3	13.	3	17.	1
2.	2	6.	1	10.	3	14.	2	18.	2
3.	3	7.	3	11.	2	15.	2		
4.	1	8.	1	12.	3	16.	2		

The pie graph below shows the distribution of responses.



Date Printed: Monday, October 18, 2004

End of Report

SAMPLE