

Score Report

by John Briere, PhD and PAR Staff

Client Information

Child's Name: Sample Client

Client ID: 123-45-6789

Child's Gender: Male

Child's Race: Caucasian

Child's Age: 12

Test Form: TSCC

Test Description:

Test Date: 08/07/1999

Use of this score report requires a complete understanding of the Trauma Symptom Checklist for Children (TSCC) scales and its interpretation, applications, and limitations as presented in the TSCC Professional Manual. This report contains raw and standardized scores from the TSCC Item Booklet. Users should refer to the TSCC Professional Manual for procedures and guidelines for the interpretation of this report. Users also should refer to the Professional Manual for information about the psychometric characteristics of the TSCC.

This report should be used as only one source of information about the individual being evaluated. In this respect, no decisions should be based solely on the information contained in this report. The raw and standardized scores contained in this report should be integrated with other sources of information when making decisions about this individual.

This report is confidential and is intended for use by qualified professionals who have sufficient knowledge of psychometric testing and of the TSCC. This report should not be released to the respondent or to any individuals who are not qualified to interpret the results.

 Client: Sample Client
 Test Date: 08/07/1999

 Client ID: 123-45-6789
 Page 2 of 4

TSCC Critical Items

Item	Score	Item Description
20.	2 *	[Item text removed from this report]
21.	2 *	
24.	1 *	
25.	0	
34.	0	
36.	0	
50.	2 *	
52.	0	

Note. "*" indicates a critical item was endorsed which may require immediate intervention.

Missing Responses

Total Missing Responses: 1

TSCC Validity Scales

Scale	Raw score	T score
Underresponse (UND)	1	46
Hyperresponse (HYP)	1	62

TSCC Clinical Scales/Subscales

Scale	Raw score	T score
Anxiety (ANX)	13	68 #
Depression (DEP)	20	83 #
Anger (ANG)	11*	54
Posttraumatic Stress (PTS)	14	60
Dissociation (DIS)	6	47
Overt Dissociation (DIS-O)	2	42
Fantasy (DIS-F)	4	57
Sexual Concerns (SC)	7	61
Sexual Preoccupation (SC-P)	5	62
Sexual Distress (SC-D)	2	54


Note. "*" indicates scale was calculated substituting "0" for missing response.

Note. "#" indicates *T* score is clinically significant.

 Client: Sample Client
 Test Date: 08/07/1999

 Client ID: 123-45-6789
 Page 3 of 4

TSCC T-Score Profile



 Client: Sample Client
 Test Date: 08/07/1999

 Client ID: 123-45-6789
 Page 4 of 4

TSCC Item Responses

Item#	Response	Item#	Response	Item#	Response
1.	1	19.	2	37.	2
2.	2	20.	2	38.	1
3.	1	21.	2	39.	1
4.	2	22.	1	40.	1
5.	0	23.	0	41.	2
6.	0	24.	1	42.	3
7.	3	25.	0	43.	1
8.	0	26.	1	44.	1
9.	3	27.	3	45.	0
10.	2	28.	3	46.	1
11.	1	29.	0	47.	0
12.	2	30.	0	48.	1
13.	2	31.	0	49.	2
14.	2	32.	2	50.	2
15.	1	33.	2	51.	3
16.	?	34.	0	52.	0
17.	1	35.	2	53.	3
18.	0	36.	0	54.	1

 $\textit{Note}.\ 0 = \text{Never},\ 1 = \text{Sometimes},\ 2 = \text{Lots of times},\ 3 = \text{Almost all of the time},\ ? = \text{Missing}.$

End of Report