

### Achievement/development -

Academic A	Achievement	Battery™	(AAB™)
------------	-------------	----------	--------

Assess achievement throughout the life span **FREE** AAB Score Reports (minimum/5)

# \$2 cach

#### Academic Achievement Battery™ (AAB™) Comprehensive Form

Assess seven areas of achievement throughout the life span 10795-IS AAB Comprehensive Form Score Reports (minimum/5)

\$3 each

#### Academic Achievement Battery™ (AAB™) Screening Form

Assess four areas of achievement throughout the life span 10797-IS AAB Screening Form Score Reports (minimum/5)

\$2 each

\$3 each

#### Feifer Assessment of Mathematics<sup>™</sup> (FAM<sup>™</sup>)

Examine the underlying neurodevelopmental processes that support proficient math skills 11017-IS FAM Score Reports (minimum/5)

category of emotional disturbance

about what's coming soon!

perspective of the parent

#### 10520-IC EDDT-PF i-Admins (minimum/5) \$4 each 10521-IS EDDT-PF Score Reports (minimum/5) \$2 each

Emotional Disturbance Decision Tree<sup>™</sup>-Parent Form (EDDT<sup>™</sup>-PF) Identify children who qualify for the special education

More than 65 PAR instruments are available

The following list provides pricing for products available on PARiConnect, our digital assessment platform. Check

our website, pariconnect.com, frequently to stay informed

\$2 each

\$1 each

\$4 each

\$2 each

Clinical Assessment of Behavior™ Parent Extended Form

Assess adjustment, psychosocial strengths and

weaknesses, and problem behaviors from the

10531-IS CAB-PX Score Reports (minimum/5)

Emotional Disturbance Decision Tree™ (EDDT™)

10519-IS EDDT Score Reports (minimum/5)

Identify children who qualify for the special education

10530-IC CAB-PX i-Admins (minimum/5)

category of emotional disturbance

10518-IC EDDT i-Admins (minimum/5)

#### Feifer Assessment of Mathematics™ (FAM™) Screening Form

Quickly identify children at risk for dyscalculia

11018-IS FAM Screening Form Score Reports (minimum/5) \$2 each

### Eyberg Child Behavior Inventory™ (ECBI™)

Measure conduct problems in the home setting

10493-IC ECBI i-Admins (minimum/5) \$2 each 10494-IS ECBI Score Reports (minimum/5) \$1 each

#### Feifer Assessment of Reading™ (FAR™)

Examine cognitive and linguistic processes that support proficient reading skills

10939-IS FAR Score Reports (minimum/5) \$3 each 11195-II FAR Interpretive Reports (minimum/5) \$6 each

Volume pricing available!

#### PDD Behavior Inventory™ (PDDBI™)

Assess responsiveness to intervention in children with a pervasive developmental disorder 10515-IC PDDBI i-Admins (minimum/5)

\$4 each 10516-IS PDDBI Score Reports (minimum/5) \$3 each

#### Feifer Assessment of Reading™ (FAR™) Screening Form

Quickly identify children at risk for developmental dyslexia 10938-IS FAR Screening Form Score Reports (minimum/5) \$2 each

### PDD Behavior Inventory™ Screening Version (PDDBI™-SV)

Screen for autism spectrum disorders in children 10426-IC PDDBI-SV i-Admins (minimum/5) \$1 each 10427-IS PDDBI-SV Score Reports (minimum/5) \$1 each

#### Kane Learning Difficulties Assessment™ (KLDA™)

Identify college students who may be at risk for learning difficulties and ADHD

11064-IC KLDA i-Admins (minimum/5) \$2 each

11065-IS KLDA Score Reports (minimum/5)

\$2 each

Volume pricing available!

## Pediatric Behavior Rating Scale™ (PBRS™)

Assist in the identification of symptoms associated with early onset bipolar disorder

10560-IC PBRS i-Admins (minimum/5) \$2 each 10561-IS PBRS Score Reports (minimum/5) \$1 each

#### Anger

#### State-Trait Anger Expression Inventory-2<sup>™</sup> (STAXI-2<sup>™</sup>)

Measure the experience, expression, and control of anger \$4 each 10509-IC STAXI-2 i-Admins (minimum/5) 10510-IS STAXI-2 Score Reports (minimum/5) \$3 each 10511-II STAXI-2 Interpretive Reports (minimum/5) \$6 each

### Social Emotional Assets and Resilience Scales™ (SEARS)

Assess positive social-emotional attributes of children and adolescents 10554-IC SEARS i-Admins (minimum/5)

\$2 each 10555-IS SEARS Score Reports (minimum/5) \$2 each 10556-II SEARS Integrated Score Reports (minimum/5) \$4 each

#### Behavior -

#### Clinical Assessment of Behavior™ (CAB™)

Assess adjustment, psychosocial strengths and weaknesses, and problem behaviors from the perspective of the parent and teacher

10528-IC CAB i-Admins (minimum/5) \$2 each 10529-IS CAB Score Reports (minimum/5) \$1 each

#### Social Emotional Assets and Resilience Scales™ Short Form (SEARS-SF)

Quickly assess positive social-emotional attributes of children and adolescents

10557-IC SEARS-SF i-Admins (minimum/5) \$1 each 10558-IS SEARS-SF Score Reports (minimum/5) \$1 each

### Sutter-Eyberg Student Behavior Inventory–Revised™ (SESBI-R™)

Measure conduct problems in the school setting

10495-IC SESBI-R i-Admins (minimum/5) \$2 each 10496-IS SESBI-R Score Reports (minimum/5) \$1 each

<sup>\*</sup> For a limited time with AAB purchase. Call 1.800.331.8378 for details.

/		en an including the state of th	
Career interest/HR		Eating disorders —	
Career Thoughts Inventory™ (CTI™)		Eating Disorder Inventory™ (EDI-3™)	
Assist in career problem solving and decision making		Identify individuals at risk for eating disorders	<b>.</b>
	2 each	10501-IC EDI-3 i-Admins (minimum/5)	\$4 each
10535-IS CTI Score Reports (minimum/5)	1 each	10502-IS EDI-3 Score Reports (minimum/5)	\$2 each
NEO-PI-3:4FV		Eating Disorder Inventory™ Referral Form (EDI-3™ RF)	
Provide information on four personality domains:		Assist health professionals in identifying individuals at risk	
Extraversion, Openness to Experience, Agreeableness,		for eating disorders	
and Conscientiousness		10503-IC EDI-3 RF i-Admins (minimum/5)	\$4 each
<b>10886-IC</b> NEO-PI-3:4FV i-Admins (minimum/5)	6 each	10504-IS EDI-3 RF Score Reports (minimum/5)	\$2 each
10887-IS NEO-PI-3:4FV Score Reports (minimum/5)	6 each	' '	
NEO EEL 2.4EV		Executive function————————————————————————————————————	
NEO-FFI-3:4FV		Behavior Rating Inventory of Executive Function® (BRIEF®)	
Provide information on four personality domains: Extraversion, Openness to Experience, Agreeableness,		Assess impairment of executive function	
and Conscientiousness		10403-IC BRIEF i-Admins (minimum/5)	\$4 each
	5 each	10404-IS BRIEF Score Reports (minimum/5)	\$4 each
	4 each	10405-II BRIEF Interpretive Reports (minimum/5)	\$6 each
	y i oden	D-1	
NEO™ Professional Development Report (NEO™ PDR)		Behavior Rating Inventory of Executive Function®,	
Obtain career-relevant reports based on an assessment of		Second Edition (BRIEF®2) Assess impairment of executive function	
normal personality		10992-IC BRIEF2 Parent/Teacher Form i-Admins	
	6 each	(minimum/5)	\$4 each
10462-II NEO PDR Management and Individual	17 1	10993-II BRIEF2 Parent/Teacher Form Score/Interpretive	ψ <del>4</del> cαcπ
Planning Reports (minimum/5) \$1	16 each	Reports (minimum/5)	\$4 each
PAI® Law Enforcement, Corrections, and Public Safety		10994-IC BRIEF2 Self-Report Form i-Admins	*
Selection Report <sup>™</sup>		(minimum/5)	\$4 each
Screen public safety job applicants		10995-II BRIEF2 Self-Report Form Score/Interpretive	
	7 each	Reports (minimum/5)	\$4 each
10419-II PAI Public Safety Selection Reports		Volume pricing a	vailable!
(minimum/5) \$2	20 each	Polymeian Dation Inventors of Everytime Evertion®	
Working Styles Assessment™ (WSA™)		Behavior Rating Inventory of Executive Function®, Second Edition (BRIEF®2) Screening Form	
Assess workplace personality traits		Screen for impairment of executive function	
	3 each	10996-IC BRIEF2 Screening Parent/Teacher Form	
	5 each	i-Admins (minimum/5)	\$3 each
	8 each	10997-IS BRIEF2 Screening Parent/Teacher Form	φο cacii
Volume pricing av		Score Reports (minimum/5)	\$2 each
		10998-IC BRIEF2 Screening Self-Report Form i-Admins	<b>7</b> —
Depression ————————————————————————————————————		(minimum/5)	\$3 each
Clinical Assessment of Depression™ (CAD™)		10999-IS BRIEF2 Screening Self-Report Form Score	
Comprehensively assess depressive symptomatology		Reports (minimum/5)	\$2 each
	2 each	Volume pricing o	vailable
		volumo priemg e	valiable:
	1 each	· · ·	ivaliable:
· · ·	1 each	Behavior Rating Inventory of Executive Function®-Adult	valiable:
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2™)	1 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A)	ivaliable:
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2™) Identify depressive symptoms in adolescents		Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation	
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2™) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5)	\$3 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5)	\$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2™) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5)		Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5)	
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2™) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5)	\$3 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5)	\$4 each \$3 each \$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2™) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5)	\$3 each \$2 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Preschool	\$4 each \$3 each \$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2 <sup>™</sup> ) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5) Reynolds Adolescent Depression Scale, 2nd Ed.: Short Form (RADS-2 <sup>™</sup> :SF) Screen adolescents for signs of depressive symptomatology	\$3 each \$2 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Preschool Version (BRIEF®-P)	\$4 each \$3 each \$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2™) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5) Reynolds Adolescent Depression Scale, 2nd Ed.: Short Form (RADS-2™:SF) Screen adolescents for signs of depressive symptomatology	\$3 each \$2 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Preschool Version (BRIEF®-P) Assess executive functioning in preschool-aged children	\$4 each \$3 each \$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2™) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5)  Reynolds Adolescent Depression Scale, 2nd Ed.: Short Form (RADS-2™:SF) Screen adolescents for signs of depressive symptomatology 10499-IC RADS-2:SF i-Admins (minimum/5)	\$3 each \$2 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Preschool Version (BRIEF®-P) Assess executive functioning in preschool-aged children 10400-IC BRIEF®-I-Admins (minimum/5)	\$4 each \$3 each \$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2™) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5)  Reynolds Adolescent Depression Scale, 2nd Ed.: Short Form (RADS-2™:SF) Screen adolescents for signs of depressive symptomatology 10499-IC RADS-2:SF i-Admins (minimum/5) 10500-IS RADS-2:SF Score Reports (minimum/5)	3 each 2 each 2 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Preschool Version (BRIEF®-P) Assess executive functioning in preschool-aged children 10400-IC BRIEF-P i-Admins (minimum/5) 10401-IS BRIEF-P Score Reports (minimum/5)	\$4 each \$3 each \$4 each \$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2 <sup>™</sup> ) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5)  Reynolds Adolescent Depression Scale, 2nd Ed.: Short Form (RADS-2 <sup>™</sup> :SF) Screen adolescents for signs of depressive symptomatology 10499-IC RADS-2:SF i-Admins (minimum/5) 10500-IS RADS-2:SF Score Reports (minimum/5)  Reynolds Child Depression Scale <sup>™</sup> -2nd Edition (RCDS <sup>™</sup> -2)	3 each 2 each 2 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A)  Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Preschool Version (BRIEF®-P)  Assess executive functioning in preschool-aged children 10400-IC BRIEF-P i-Admins (minimum/5) 10401-IS BRIEF-P Score Reports (minimum/5) 10402-II BRIEF-P Interpretive Reports (minimum/5)	\$4 each \$3 each \$4 each \$4 each \$3 each \$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2 <sup>™</sup> ) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5)  Reynolds Adolescent Depression Scale, 2nd Ed.: Short Form (RADS-2 <sup>™</sup> :SF) Screen adolescents for signs of depressive symptomatology 10499-IC RADS-2:SF i-Admins (minimum/5) 10500-IS RADS-2:SF Score Reports (minimum/5)  Reynolds Child Depression Scale <sup>™</sup> -2nd Edition (RCDS <sup>™</sup> -2) Measure depressive symptoms in children	3 each 2 each 32 each 31 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Preschool Version (BRIEF®-P) Assess executive functioning in preschool-aged children 10400-IC BRIEF-P i-Admins (minimum/5) 10401-IS BRIEF-P Score Reports (minimum/5) 10402-II BRIEF-P Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Self-Repo	\$4 each \$3 each \$4 each \$4 each \$3 each \$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2 <sup>™</sup> ) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5)  Reynolds Adolescent Depression Scale, 2nd Ed.: Short Form (RADS-2 <sup>™</sup> :SF) Screen adolescents for signs of depressive symptomatology 10499-IC RADS-2:SF i-Admins (minimum/5) 10500-IS RADS-2:SF Score Reports (minimum/5)  Reynolds Child Depression Scale <sup>™</sup> -2nd Edition (RCDS <sup>™</sup> -2) Measure depressive symptoms in children 10522-IC RCDS-2 i-Admins (minimum/5)	\$3 each \$2 each \$1 each \$3 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Preschool Version (BRIEF®-P) Assess executive functioning in preschool-aged children 10400-IC BRIEF-P i-Admins (minimum/5) 10401-IS BRIEF-P Score Reports (minimum/5) 10402-II BRIEF-P Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Self-Reportersion (BRIEF®-SR)	\$4 each \$3 each \$4 each \$4 each \$3 each \$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2 <sup>™</sup> ) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5)  Reynolds Adolescent Depression Scale, 2nd Ed.: Short Form (RADS-2 <sup>™</sup> :SF) Screen adolescents for signs of depressive symptomatology 10499-IC RADS-2:SF i-Admins (minimum/5) 10500-IS RADS-2:SF Score Reports (minimum/5)  Reynolds Child Depression Scale <sup>™</sup> -2nd Edition (RCDS <sup>™</sup> -2) Measure depressive symptoms in children 10522-IC RCDS-2 i-Admins (minimum/5) 10523-IS RCDS-2 Score Reports (minimum/5)	33 each 52 each 52 each 51 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Preschool Version (BRIEF®-P) Assess executive functioning in preschool-aged children 10400-IC BRIEF-P i-Admins (minimum/5) 10401-IS BRIEF-P Score Reports (minimum/5) 10402-II BRIEF-P Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Self-Reportersion (BRIEF®-SR) Assess an adolescent's view of his or her cognitive, emotion	\$4 each \$3 each \$4 each \$4 each \$3 each \$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2 <sup>™</sup> ) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5)  Reynolds Adolescent Depression Scale, 2nd Ed.: Short Form (RADS-2 <sup>™</sup> :SF) Screen adolescents for signs of depressive symptomatology 10499-IC RADS-2:SF i-Admins (minimum/5) 10500-IS RADS-2:SF Score Reports (minimum/5)  Reynolds Child Depression Scale <sup>™</sup> -2nd Edition (RCDS <sup>™</sup> -2) Measure depressive symptoms in children 10522-IC RCDS-2 i-Admins (minimum/5) 10523-IS RCDS-2 Score Reports (minimum/5) Reynolds Child Depression Scale <sup>™</sup> -2nd Edition:	\$3 each \$2 each \$1 each \$3 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A) Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Preschool Version (BRIEF®-P) Assess executive functioning in preschool-aged children 10400-IC BRIEF-P i-Admins (minimum/5) 10401-IS BRIEF-P Score Reports (minimum/5) 10402-II BRIEF-P Interpretive Reports (minimum/5) Behavior Rating Inventory of Executive Function®-Self-Reporters on (BRIEF®-SR) Assess an adolescent's view of his or her cognitive, emotion and behavioral functions	\$4 each \$3 each \$4 each \$4 each \$1 each \$2 each \$3 each \$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2 <sup>™</sup> ) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5)  Reynolds Adolescent Depression Scale, 2nd Ed.: Short Form (RADS-2 <sup>™</sup> :SF) Screen adolescents for signs of depressive symptomatology 10499-IC RADS-2:SF i-Admins (minimum/5) 10500-IS RADS-2:SF Score Reports (minimum/5)  Reynolds Child Depression Scale <sup>™</sup> -2nd Edition (RCDS <sup>™</sup> -2) Measure depressive symptoms in children 10522-IC RCDS-2 i-Admins (minimum/5) 10523-IS RCDS-2 Score Reports (minimum/5) Reynolds Child Depression Scale <sup>™</sup> -2nd Edition: Short Form (RCDS <sup>™</sup> -2:SF)	\$3 each \$2 each \$1 each \$3 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A)  Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) 10411-II BRIEF-P)  Behavior Rating Inventory of Executive Function®-Preschool Version (BRIEF®-P) 10400-IC BRIEF-P i-Admins (minimum/5) 10401-IS BRIEF-P Score Reports (minimum/5) 10402-II BRIEF-P Interpretive Reports (minimum/5) 10402-IC BRIEF-SR) 10406-IC BRIEF-SR i-Admins (minimum/5)	\$4 each \$3 each \$4 each \$3 each \$4 each rt
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2 <sup>™</sup> ) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5)  Reynolds Adolescent Depression Scale, 2nd Ed.: Short Form (RADS-2 <sup>™</sup> :SF) Screen adolescents for signs of depressive symptomatology 10499-IC RADS-2:SF i-Admins (minimum/5) 10500-IS RADS-2:SF Score Reports (minimum/5)  Reynolds Child Depression Scale <sup>™</sup> -2nd Edition (RCDS <sup>™</sup> -2) Measure depressive symptoms in children 10522-IC RCDS-2 i-Admins (minimum/5) 10523-IS RCDS-2 Score Reports (minimum/5) Reynolds Child Depression Scale <sup>™</sup> -2nd Edition: Short Form (RCDS <sup>™</sup> -2:SF) Quickly measure depressive symptoms in children	\$3 each \$2 each \$1 each \$3 each \$2 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A)  Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) 10401-IS BRIEF-P) 10400-IC BRIEF-P i-Admins (minimum/5) 10401-IS BRIEF-P Score Reports (minimum/5) 10402-II BRIEF-P Interpretive Reports (minimum/5) 10402-II BRIEF-P Interpretive Reports (minimum/5) 10402-II BRIEF-SR) 10402-II BRIEF-SR Score Reports (minimum/5) 10406-IC BRIEF-SR i-Admins (minimum/5) 10406-IC BRIEF-SR i-Admins (minimum/5) 10407-IS BRIEF-SR Score Reports (minimum/5)	\$4 each \$3 each \$4 each \$3 each \$4 each rt nal, \$4 each \$4 each
Reynolds Adolescent Depression Scale, 2nd Ed. (RADS-2 <sup>™</sup> ) Identify depressive symptoms in adolescents 10497-IC RADS-2 i-Admins (minimum/5) 10498-IS RADS-2 Score Reports (minimum/5)  Reynolds Adolescent Depression Scale, 2nd Ed.: Short Form (RADS-2 <sup>™</sup> :SF) Screen adolescents for signs of depressive symptomatology 10499-IC RADS-2:SF i-Admins (minimum/5) 10500-IS RADS-2:SF Score Reports (minimum/5)  Reynolds Child Depression Scale <sup>™</sup> -2nd Edition (RCDS <sup>™</sup> -2) Measure depressive symptoms in children 10522-IC RCDS-2 i-Admins (minimum/5) 10523-IS RCDS-2 Score Reports (minimum/5) Reynolds Child Depression Scale <sup>™</sup> -2nd Edition: Short Form (RCDS <sup>™</sup> -2:SF) Quickly measure depressive symptoms in children 10524-IC RCDS-2:SF i-Admins (minimum/5)	\$3 each \$2 each \$1 each \$3 each	Behavior Rating Inventory of Executive Function®-Adult Version (BRIEF®-A)  Assess adult executive functioning and self-regulation 10409-IC BRIEF-A i-Admins (minimum/5) 10410-IS BRIEF-A Score Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) 10411-II BRIEF-A Interpretive Reports (minimum/5) 10411-II BRIEF-P)  Behavior Rating Inventory of Executive Function®-Preschool Version (BRIEF®-P) 10400-IC BRIEF-P i-Admins (minimum/5) 10401-IS BRIEF-P Score Reports (minimum/5) 10402-II BRIEF-P Interpretive Reports (minimum/5) 10402-IC BRIEF-SR) 10406-IC BRIEF-SR i-Admins (minimum/5)	\$4 each \$3 each \$4 each \$3 each \$4 each rt

Assess behavior related to frontal systems damage 10526-IC FrSBe i-Admins (minimum/5) 10527-IS FrSBe Score Reports (minimum/5)  Forensic issues  PAI® Interpretive Report for Correctional Settings™ (PAI®-CS Assess offender misconduct risk, psychological needs, and rehabilitation 10415-IC PAI i-Admins (minimum/5) 10418-II PAI-CS Reports (minimum/5)  Structured Inventory of Malingered Symptomatology™ (SIN Screen for malingered psychopathology and cognitive syn 10512-IC SIMS i-Admins (minimum/5)	\$7 each \$8 each <b>15™)</b> nptoms \$3 each	NEO™ Personality Inventory-3 (NEO™-PI-3) Obtain a detailed assessment of general personality in adolescents and adults 10420-IC NEO-PI-3 i-Admins (minimum/5) 10421-IS NEO-PI-3 Score Reports (minimum/5) 10422-II NEO-PI-3 Interpretive Reports (minimum/5) NEO™ Five Factor Inventory-3 (NEO™-FFI-3) Obtain a quick assessment of general personality in adolescents and adults 10423-IC NEO-FFI-3 i-Admins (minimum/5) 10424-IS NEO-FFI-3 Score Reports (minimum/5) 10425-II NEO-FFI-3 Interpretive Reports (minimum/5)	\$6 each \$7 each \$13 each \$5 each \$4 each \$10 each
10513-IS SIMS Score Reports (minimum/5) 10514-II SIMS Interpretive Reports (minimum/5)	\$2 each \$6 each	Pain management	
Intelligence/language  Reynolds Adaptable Intelligence Test™ (RAIT™)  Assess crystallized, fluid, and quantitative intelligence 10682-IC RAIT i-Admins (minimum/5) 10683-IS RAIT Score Reports (minimum/5) 10680-IC RAIT Abbreviated Battery i-Admins (minimum/5) 10681-IS RAIT Abbreviated Battery Score Reports	\$4 each \$4 each \$3 each	Chronic Pain Coping Inventory™ (CPCI™)  Assess patients' pain coping strategies  10540-IC CPCI i-Admins (minimum/5)  10541-IS CPCI Score Reports (minimum/5)  10542-II CPCI Longitudinal Reports (minimum/5)  Survey of Pain Attitudes™ (SOPA™)  Assess patients' attitudes and beliefs about pain  10543-IC SOPA i-Admins (minimum/5)  10544-IS SOPA Score Reports (minimum/5)	\$2 each \$1 each \$4 each \$2 each \$1 each
(minimum/5)	\$3 each	10545-II SOPA Longitudinal Score Reports (minimum/5)	\$4 each
Reynolds Intellectual Assessment Scales™, Second Edition (I Assess intelligence and its major components 10962-II RIAS-2 Interpretive Reports (minimum/5) Volume pricing	\$2 each	Parenting  Parenting Stress Index <sup>™</sup> , Fourth Edition (PSI <sup>™</sup> -4)  Identify parent–child problem areas  10428-IC PSI-4 i-Admins (minimum/5)	\$4 each
Reynolds Intellectual Screening Test™, Second Edition (RIST™ Screen for general intelligence 10963-II RIST-2 Interpretive Reports (minimum/5) Volume pricing Test of General Reasoning Ability™ (TOGRA™)	\$1 each	10429-IS PSI-4 Score Reports (minimum/5) 10430-II PSI-4 Interpretive Reports (minimum/5)  Parenting Stress Index™, Fourth Edition Short Form (PSI™-4) Quickly identify parent–child problem areas 10431-IC PSI-4-SF i-Admins (minimum/5)	\$3 each \$6 each I- <b>SF)</b> \$3 each
Screen for reasoning and problem-solving skills 10678-IC TOGRA i-Admins (minimum/5) 10679-IS TOGRA Score Reports (minimum/5)	\$2 each \$3 each	10432-IS PSI-4-SF Score Reports (minimum/5) 10433-II PSI-4-SF Interpretive Reports (minimum/5)  Stress Index for Parents of Adolescents™ (SIPA™)	\$1 each \$4 each
Vocabulary Assessment Scales-Expressive® (VAS-E®) Measure vocabulary and expressive oral language 10443-IS VAS-E Score Reports (minimum/5)	\$1 each	Identify stressful areas in parent–adolescent interactions 10532-IC SIPA i-Admins (minimum/5) 10533-IS SIPA Score Reports (minimum/5)	\$2 each \$1 each
Vocabulary Assessment Scales–Receptive® (VAS-R®)		Psychopathology—————	
Measure vocabulary and receptive oral language 10444-IS VAS-R Score Reports (minimum/5)	\$1 each	Adolescent Psychopathology Scale™ (APS™) Evaluate the presence and severity of symptoms of	
Memory Child and Adolescent Memory Profile™ (ChAMP™) Assess visual and verbal memory in children, adolescents, and young adults 10831-IS ChAMP Score Reports (minimum/5) Multidimensional Everyday Memory Ratings for Youth™ (MEMRY™) 11193-IC MEMRY i-Admins (minimum/5) 11194-IS MEMRY Score Reports (minimum/5)	\$4 each \$2 each \$2 each	psychological disorders and distress 10536-IC APS i-Admins (minimum/5) 10537-IS APS Score Reports (minimum/5)  Adolescent Psychopathology Scale–Short Form™ (APS-SF™ Quickly evaluate a spectrum of common psychopathology and adjustment problems 10538-IC APS-SF i-Admins (minimum/5) 10539-IS APS-SF Score Reports (minimum/5)  Personality Assessment Inventory™ (PAI®)	
The memory of	φ2 oddii	Get a comprehensive assessment of adult psychopatholog 10415-IC PAI i-Admins (minimum/5) 10416-IS PAI Score Reports (minimum/5) 10417-II PAI Interpretive Reports (minimum/5)	y \$7 each \$8 each \$20 each

Normal personality -

Frontal Systems Behavior Scale™ (FrSBe™)

Personality Assessment Inventory™-Adolescent (PAI®-A) Assess adolescent personality 10412-IC PAI-A i-Admins (minimum/5) 10413-IS PAI-A Score Reports (minimum/5) 10414-II PAI-A Interpretive Reports (minimum/5)	\$7 each \$8 each \$20 each
Personality Assessment Screener® (PAS®) Screen for a broad range of clinical problems 10440-IC PAS i-Admins (minimum/5) 10441-IS PAS Score Reports (minimum/5) 10463-II PAS Interpretive Reports (minimum/5)	\$2 each \$1 each \$2 each
SPECTRA™: Indices of Psychopathology Measure psychopathology quickly 11294-IC SPECTRA i-Admins (minimum/5) 11295-IS SPECTRA Score Reports (minimum/5)	\$3 each \$3 each
Suicide———————————————————————————————————	

Suicide————	
Suicidal Ideation Questionnaire (SIQ) Screen for suicidal ideation in adolescents in grades 10-12 10546-IC SIQ i-Admins (minimum/5) 10547-IS SIQ Score Reports (minimum/5)	2 \$2 each \$1 each
Suicidal Ideation Questionnaire Junior (SIQ-JR) Screen for suicidal ideation in adolescents in grades 7-9 10548-IC SIQ-JR i-Admins (pkg/5) 10549-IS SIQ-JR Score Reports (pkg/5)	\$2 each \$1 each
Trauma/child abuse	

Screen for the detection of physical child abuse in parents	Child Abuse Potential Inventory (CAPI) Screen for the detection of physical chil
or primary caregivers  10640-IC CAPI i-Admins (minimum/5) \$4 each 10641-IS CAPI Score Reports (minimum/5) \$3 each	or primary caregivers 10640-IC CAPI i-Admins (minimum/5)

Child Sexual Behavior Inventory (CSBI™)  Evaluate children who have been or may have been sexually abused  10550-IC CSBI i-Admins (minimum/5)  10551-IS CSBI Score Reports (minimum/5)	\$2 each \$1 each
Detailed Assessment of Posttraumatic Stress™ (DAPS™) Assess traumatic exposure and symptoms of posttraumatic stress 10490-IC DAPS i-Admins (minimum/5)	\$4 each
10491-IS DAPS Score Report (minimum/5) 10492-II DAPS Interpretive Reports (minimum/5)	\$3 each \$6 each
PTSD and Suicide Screener™ (PSS™) Quickly screen for PTSD and suicide risk 10464-IC PSS i-Admins (minimum/5) 10465-IS PSS Score Reports (minimum/5)	\$1 each \$1 each
Trauma Symptom Checklist for Children™ (TSCC™) Evaluate acute and chronic posttraumatic symptomatology 10434-IC TSCC i-Admins (minimum/5) 10435-IS TSCC Score Reports (minimum/5)	\$4 each \$5 each
Trauma Symptom Checklist for Young Children™ (TSCYC™) Evaluate acute and chronic posttraumatic symptomatology in young children 10436-IC TSCYC i-Admins (minimum/5)	\$4 each
10437-IS TSCYC Score Reports (minimum/5)  Trauma Symptom Inventory™-2 (TSI™-2)  Evaluate acute and chronic posttraumatic symptomatology	\$5 each
10438-IC TSI-2 i-Admins (minimum/5)	\$5 each
10439-IS TSI-2 Score Reports (minimum/5)	\$4 each

This list is current as of January 1, 2019. Prices are subject to change.